

Bausysteme

Building systems / Systèmes de construction

Inhaltsverzeichnis


Content / Sommaire

opk Spaceship 80	78-120
opk Spaceship 80 W Standard Deckenmontage / <i>Ceiling Mounting / Montage au plafond</i>	79 - 80
opk Spaceship 80 W Minimal Deckenmontage / <i>Ceiling Mounting / Montage au plafond</i>	81 - 82
opk Spaceship 80 G Deckenmontage / <i>Ceiling Mounting / Montage au plafond</i>	83 - 89
opk Spaceship 80 W Standard Pocket	91 - 92
opk Spaceship 80 W Minimal Pocket	93 - 94
opk Spaceship 80 G Pocket	95 - 96
opk Spaceship 80 Push to Open / Standard / Minimal / Glass Pocket	97 - 98
opk Spaceship 80 W/G Pocket Schienen, Zubehör / <i>Tracks, Accessories / Rails, Accessoires</i>	99 - 100
opk Spaceship 80 W Wandmontage / <i>Wall Mounting / Montage mural</i>	103-104
opk Spaceship 80 G Wandmontage / <i>Wall Mounting / Montage mural</i>	105-108
opk Spaceship 80 Synchro W Minimal Wandmontage / <i>Wall Mounting / Montage mural</i>	111-112
opk Spaceship 80 W Schienen, Zubehör / <i>Tracks, Accessories / Rails, Accessoires</i>	113-119

opk SPACESHIP 80 W/G

Pocket

GERINGE GRÖSSE. MAXIMALE ERGEBNISSE.
SMALL SIZE. MAXIMUM RESULTS.
UNE TAILLE COMPACTE. DES RÉSULTATS REMARQUABLES.



Bausysteme
Building systems /
Systèmes de construction



opk Spaceship 80 W

Standard Pocket









Technische Zeichnung
Technical drawing / Plans et schémas

Profilgrößen
Profile dimensions
Tailles de profil



A	B	C
35mm	10mm	55mm
40mm	7.5mm	55mm
45mm	7.5mm	60mm



opk Spaceship 80 W Standard Pocket



Art.-Nr./No./N° d'art.

		≤80	≥580	03-011-803-200
--	--	-----	------	----------------

Konfiguration für 1 Tür

Configuration for 1 door / Configuration pour 1 porte







Laufwerk mit 2-Wege Dämpfer <i>Running part with two-way damper / Train de roulement avec amortisseur 2 voies</i>		1
Laufwerk <i>Running part (roller) / Train de roulement</i>		1
Aktivator lang <i>Activator long / Activateur long</i>		1
Aktivator <i>Activator / Activateur</i>		1
Aufhängung Holz <i>Suspension bracket wood / Suspension bois</i>		2
Bodenführung Pocket Holz <i>Floor guide pocket bracket wood / Guide Pocket bois</i>		1
Endstopper <i>End Stopper / Butée d'extrémité</i>		2
Endkappe Führungsschiene <i>Cover cap guiding track / Embout rails de guidage</i>		1
Führungsschwert unten <i>Guiding sword floor bottom / Guide épée en bas</i>		1
Zubehörset Pocket Holz <i>Accessories pocket wood / Set d'accessoires Pocket verre Pocket bois</i>	x1 x2 x5 x8	1

opk Spaceship 80 W Minimal Pocket







Technische Zeichnung Technical drawing / Plans et schémas

Profilgrößen Profile dimensions Tailles des profil



Sonderlösung abgehängte Decke (Seite 100)

Special solution for
suspended ceiling
(Page 100) /
Solution spéciale
de faux-plafond
(Page 100)



opk Spaceship 80 W Minimal Pocket



Art.-Nr./No./N° d'art.

		≤80	≥580	03-011-703-200
--	--	-----	------	----------------

Konfiguration für 1 Tür

Configuration for 1 door / Configuration pour 1 porte



Laufwerk mit 2-Wege Dämpfer <i>Running part with two-way damper / Train de roulement avec amortisseur 2 voies</i>		1
Laufwerk <i>Running part (roller) / Train de roulement</i>		1
Aktivator lang <i>Activator long / Activateur long</i>		1
Aktivator <i>Activator / Activateur</i>		1
Aufhängung Minimal Holz <i>Minimal bracket wood / Suspension Minimal bois</i>		1
Aufhängung Minimal Pocket Holz <i>Floor guide pocket wood / Suspension Minimal Pocket bois</i>		1
Bodenführung Pocket Holz <i>Floor guide pocket bracket wood / Guide Pocket bois</i>		1
Endstopper <i>End Stopper / Butée d'extrémité</i>		2
Endkappe Führungsschiene <i>Cover cap guiding track / Embout rails de guidage</i>		1
Führungsschwert unten <i>Guiding sword floor bottom / Guide épée en bas</i>		1
Zubehörset Pocket Holz <i>Accessories pocket wood / Set d'accessoires Pocket bois</i>	x1 x2 x5 x8	1

opk Spaceship 80 W Minimal Pocket

Montage Kit (inkl. Lauf- und Führungsschiene)

Mounting kit (incl. running and guiding track) / Kit de montage (rail de roulement et rail de guidage)

Art.-Nr./No./N° d'art.	03-011-702-G17 (1700mm)	03-011-702-G20 (2050mm)	03-011-702-G25 (2500mm)	Mg/ Qty/Qté
Lauf- und Montageschiene 33mm vormontierte Haken <i>Run- and Mounting track premounted hooks / Rail de roulement et de montage, crochets prémontés</i>				1
Führungsschiene Holz (1250mm) <i>Guiding track wood (1250mm) / Rail de guidage bois (1250 mm)</i>				1
Konfiguration für 1 Tür <i>Configuration for 1 door (whole set fittings of 03-011-703-200) / Configuration pour 1 porte (ensemble complet de raccords de 03-011-703-200)</i>				1

Alles drin!
All inclusive!
Tout compris!










Bausysteme
Building systems /
Systèmes de construction

opk Spaceship 80 G Pocket



Technische Zeichnung Technical drawing / Plans et schémas

Profilgrößen Profile dimensions Tailles des profil



opk Spaceship 80 G Pocket



Art.-Nr./No./N° d'art.

		≤80	≥580	03-011-603-200
--	--	-----	------	----------------

Konfiguration für 1 Tür


Configuration for 1 door / Configuration pour 1 porte



Laufwerk mit 2-Wege Dämpfer <i>Running part with two-way damper / Train de roulement avec amortisseur 2 voies</i>		1
Laufwerk <i>Running part (roller) / Train de roulement</i>		1
Aktivator lang <i>Activator long / Activateur long</i>		1
Aktivator <i>Activator / Activateur</i>		1
Klemmschuh Glas 8/10mm ESG <i>Glass clamp 8/10mm ESG / Cosse de serrage verre 8/10mm ESG</i>		2
Bodenführung Pocket Glas inkl. Filz <i>Floor guide pocket glass incl. fleece / Guidage au sol verre, feutre compris</i>		1
Endstopper <i>End Stopper / Butée d'extrémité</i>		2
Zubehörset Pocket Glas <i>Accessories pocket glass / Set d'accessoires Pocket verre</i>		1

opk Spaceship 80 Push To Open

Technische Zeichnung
Technical drawing / Plans et schémas



opk Spaceship 80 Push To Open



Art.-Nr./No./N° d'art.


		≤80	≥580	03-015-003-003

Konfiguration für 1 Tür

Configuration for 1 door / Configuration pour 1 porte



Laufwagen mit Kontaktplatte Single roller with contact plate / Train de roulement avec plaque de contact		1 Satz/ 1 set/ 1 set
Pocket Push to Open Pocket Push to Open / Pocket Push to Open		








opk Spaceship 80 W/G Pocket



Schienen, Zubehör

Tracks, Accessories / Rails, Accessoires



Produktbeschreibung Product description / Description du produit	Material Material / Matériel	Farbe Finish / Couleur	Länge (mm) Length / Longueur	Art.-Nr./No./ N° d'art.
Laufschiene 33mm vormontierte Haken <i>Running track premounted hooks/ Rail de roulement crochets prémontés</i>   	Aluminium eloxiert <i>Anodized aluminium Aluminium anodisé</i>	Silber <i>Silver Argent</i>	1700	03-016-252-G17
			2050	03-016-252-G20
			2500	03-016-252-G25
			3000	03-016-252-G30
Montageschiene 55x15mm Pocket <i>Mounting track 55x15mm / Rail de montage 55x15mm</i>   	Aluminium <i>Aluminium Aluminium</i>	Roh <i>Raw Brut</i>	1700	03-016-252-F17
			2050	03-016-252-F20
			2500	03-016-252-F25
			3000	03-016-252-F30
Montageschiene - U-Profil für deckenbündige Montage <i>Mounting track - U-profile for installation flush / Rail de montage - profilé en U pour un montage affleuré au plafond</i>   	Aluminium <i>Aluminium Aluminium</i>	Silber <i>Silver Argent</i>	2050	03-018-100-020
			3000	03-018-100-030
Verbinder Laufschiene <i>Connecting bracket / Connecteur de rails</i>   	Aluminium <i>Aluminium Aluminium</i>	Roh <i>Raw Brut</i>	100	03-015-000-400
Führungsschiene Holz <i>Guiding track wood / Rail de guidage bois</i>  	Aluminium <i>Aluminium Aluminium</i>	Roh <i>Raw Brut</i>	1250	03-017-100-012
			2500	03-017-100-025
Abdeckkappe für Führungsschiene <i>Cover cap guiding track / Embout rail de guidage</i>   	Kunststoff <i>Plastic Plastique</i>	Schwarz <i>Black Noir</i>	1 Stück 1 pcs 1 pcs	03-017-170-000

opk Spaceship 80 W/G Pocket



Schienen, Zubehör

Tracks, Accessories / Rails, Accessoires

Produktbeschreibung Product description / Description du produit		Material Material / Matériel	Farbe Finish / Couleur	Länge (mm) Length / Longueur	Art.-Nr./No./ N° d'art.
Blende Glasklemmschuh cover glass clamp / Cache cosse de serrage verre 		Aluminium eloxiert Anodized aluminium Aluminium anodisé	Silber Silver Argent	2500	03-016-25D-025
			Schwarz Black Noir	2500	70-016-25D-025
Endkappe Glasklemmschuh coverup glass clamp / Embout cosse de serrage verre 		Kunststoff Plastic Plastique	Silber Silver Argent	2 Stück 2 piece 2 pièce	03-016-34D-003
			Schwarz Black Noir	2 Stück 2 piece 2 pièce	70-016-34D-003

Sonderlösung abgehängte Decke

Special solution for suspended ceiling / Solution spéciale de faux-plafond

Produktbeschreibung Product description / Description du produit		Material Material / Matériel	Farbe Finish / Couleur	Länge (mm) Length / Longueur	Art.-Nr./No./ N° d'art.
Aufhängung Minimal Holz incl. Abdeckkappe mit M8x40 längerer Schraube Minimal bracket wood incl. cover cap with M8x40 screw longer version / Suspension Minimal bois inclus Capuchon avec M8x40 vis version longue		Aluminium eloxiert Anodized aluminium Aluminium anodisé	Silber Silver Argent	M8 x 40 mm	03-012-205-001
Aufhängung Minimal Pocket Holz incl. Abdeckkappe mit M8x40 längerer Schraube Floor guide pocket wood incl. cover cap with M8x40 screw longer version / Suspension Minimal Pocket bois inclus Capuchon avec M8x40 vis version longue		Aluminium eloxiert Anodized aluminium Aluminium anodisé	Silber Silver Argent	M8 x 40 mm	03-012-706-001